


ZIBO JINGGAN REFRACTORY IMPORT AND EXPORT CO.,LTD

Address:NO. 3, Yanhe Road, Boshan, Zibo, Shandong, China
Email:wp@cnjingganrefractory.com/sdwenping@163.com
Contact:Rose Tel/Wechat:+86-13275332819
Tel:86-533-4188518 Fax:86-533-4188518

Ceramic Anti-static Floor



1, Main product parameters

ITEM	UNIT	TECHNCIAL INDEX
System resistance	Ω	$1.0 \times 10^6 \sim 10^9$
Electrification voltage	V	< 100
Mechanical properties uniform load	Kg/m ²	> 1600
Wear resistance 1000turns	g	0.1
Fire resistance		A grade
Aging resistance		Use for 60 years
Standard Specification	mm	600*600*10

2. Features:

- 1) Anti static, product system resistance is stable, durable, and anti-static ability is good
- 2) Pollution resistant, easy to clean and beautiful

ZIBO JINGGAN REFRACTORY IMPORT AND EXPORT CO.,LTD

3) No radiation, no radioactive elements

4) High wear resistance, Mohs hardness up to 7

5) Fireproof and waterproof, class a fireproof

3. Application: high grade machine room and places requiring anti-static and dustproof

4. Application case diagram



5. Good feedback of product use effect, the products have been exported to South Korea, Japan, Pakistan, Russia.

6. The manufacturer is a professional manufacturer and can provide complete product index test reports or third-party test reports.

Do you want to find a professional supplier of refractory products?

Do you want to find a professional supplier of graphite electrodes?

Do you want to find a stable and credible supplier?

ZIBO JINGGAN REFRACTORY IMPORT AND EXPORT CO.,LTD

[Then let's contact with jinggan company](#)

Contact me:

Email:wp@cnjingganrefractory.com/sdwenping@163.com

TEL: 86-0533-4188518 / **FAX:** 86-0533-4188518

Rose:+86-13275332819(wechat/whatsapp number)